

DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit																						
Permit #:	CTP002421	Permittee:	Tweed-New Haven Airport Authority										Facility:	TWEED-NEW HAVEN REGIONAL AIRPORT								
Major:	No	Permittee Address:	155 Burr Street New Haven, CT 06512										Facility Location:	155 BURR ST NEW HAVEN, CT 06512								
Permitted Feature:	201 External Outfall	Discharge:	201-1 Aircraft Deicing Fluid																			
Report Dates & Status																						
Monitoring Period:	From 05/01/25 to 05/31/25										DMR Due Date:	06/30/25					Status:	NetDMR Validated				
Considerations for Form Completion																						
Principal Executive Officer																						
First Name:	Thomas										Title:	Executive Director					Telephone:	203-466-8833				
Last Name:	Rafter																					
No Data Indicator (NODI)																						
Form NODI:	--																					
Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type		
00056	Flow rate	1 - Effluent Gross	0	--	Sample Permit Req.		Req Mon MO AVG			07 - gal/d									01/30 - Monthly	TM - Totalizer		
					Value NODI		C - No Discharge															
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--	Sample Permit Req.		<=	6000.0 DAILY MX	26 - lb/d					Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L		01/07 - Weekly	CP - Composite		
					Value NODI			C - No Discharge						C - No Discharge		C - No Discharge						
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req.						>=	6.0 INST MIN			<=	10.0 INST MAX	12 - SU		01/07 - Weekly	R4 - RNG-4A		
					Value NODI							C - No Discharge				C - No Discharge						
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	CP - Composite		
					Value NODI									C - No Discharge		C - No Discharge						
50047	Flow, maximum during 24 hr period	1 - Effluent Gross	0	--	Sample Permit Req.		<=	36000.0 DAILY MX	07 - gal/d										01/30 - Monthly	TM - Totalizer		
					Value NODI			C - No Discharge														
61163	Propylene glycol, total	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L		01/07 - Weekly	CP - Composite		
					Value NODI									C - No Discharge		C - No Discharge						

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
61941	pH, maximum	1 - Effluent Gross	0	--	Sample Permit Req.										<=	10.0 INST MAX	12 - SU		99/99 - Continuous	CN - Continuous
					Value NODI												C - No Discharge			
61942	pH, minimum	1 - Effluent Gross	0	--	Sample Permit Req.						>=	6.0 INST MIN					12 - SU		99/99 - Continuous	CN - Continuous
					Value NODI												C - No Discharge			
74076	Flow	1 - Effluent Gross	0	--	Sample Permit Req.				<=	36000.0 DAILY MX	07 - gal/d								01/07 - Weekly	TM - Totalizer
					Value NODI												C - No Discharge			
81017	Chemical Oxygen Demand [COD]	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L		01/07 - Weekly	CP - Composite
					Value NODI											C - No Discharge				

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments**Attachments**

No attachments.

Report Last Saved By**Tweed-New Haven Airport Authority**

User: FSURIEL@FLYTWEED.COM

Name: Felipe Suriel

E-Mail: fsuriel@flytweed.com

Date/Time: 2025-06-23 12:15 (Time Zone: -04:00)

Report Last Signed By

User: FSURIEL@FLYTWEED.COM

Name: Felipe Suriel

E-Mail: fsuriel@flytweed.com

Date/Time: 2025-06-23 12:15 (Time Zone: -04:00)