

DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(i)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit #:	CTP002421	Permittee:	Tweed-New Haven Airport Authority	Facility:	TWEED-NEW HAVEN REGIONAL AIRPORT
Major:	No	Permittee Address:	155 Burr Street New Haven, CT 06512	Facility Location:	155 BURR ST NEW HAVEN, CT 06512
Permitted Feature:	201 External Outfall	Discharge:	201-1 Aircraft Deicing Fluid		
Report Dates & Status		DMR Due Date:	04/30/26	Status:	NetDMR Validated
<i>Considerations for Form Completion</i>					

Principal Executive Officer
First Name: Thomas
Last Name: Rafter
Title: Executive Director
Telephone: 203-466-8833

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
00056	Flow rate	1 - Effluent Gross	0	--	Sample	3194.6	Permit Req. Value NODI	07 - gal/d	07 - gal/d					01/30 - Monthly	TM - Totalizer
					Permit Req. Value NODI	Req Mon MO AVG		07 - gal/d						01/30 - Monthly	TM - Totalizer
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--	Sample	2816.7	Permit Req. Value NODI	26 - lb/d	26 - lb/d	=	43642.9	19 - mg/L		01/07 - Weekly	CP - Composite
					Permit Req. Value NODI	<=		6000.0 DAILY MX			Req Mon MO AVG	19 - mg/L		01/07 - Weekly	CP - Composite
00400	pH	1 - Effluent Gross	0	--	Sample		Permit Req. Value NODI			=	7.0	12 - SU		01/07 - Weekly	R4 - RNG-4A
					Permit Req. Value NODI	>=		6.0 INST MIN			10.0 INST MAX	12 - SU		01/07 - Weekly	R4 - RNG-4A
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample		Permit Req. Value NODI			=	29.9	19 - mg/L		01/30 - Monthly	CP - Composite
					Permit Req. Value NODI	<=		Req Mon MO AVG			Req Mon MO MX	19 - mg/L		01/30 - Monthly	CP - Composite
50047	Flow, maximum during 24 hr period	1 - Effluent Gross	0	--	Sample	4500.2	Permit Req. Value NODI	07 - gal/d	07 - gal/d					01/30 - Monthly	TM - Totalizer
					Permit Req. Value NODI	<=		36000.0 DAILY MX						01/30 - Monthly	TM - Totalizer
61163	Propylene glycol, total	1 - Effluent Gross	0	--	Sample		Permit Req. Value NODI			=	32500.0	19 - mg/L		01/07 - Weekly	CP - Composite
					Permit Req. Value NODI	<=		Req Mon MO AVG			Req Mon MO MX	19 - mg/L		01/07 - Weekly	CP - Composite

